

ALL Welding

Star Trading

POWER TOOLS



Local suppliers for wide range of products and services to all kind industrial sector in Malaysia

36, Jalan Utama 2/12, Taman Perindustrian Puchong Utama, 47100 Puchong, Selangor
Phone: +603 5886 5535 (Office) | Email: allwedstar@gmail.com

ALL Welding Star Trading



A little bit about us...

ALL WELDING STAR TRADING is a local suppliers for wide range products and services to all kind industrial sector such as, automotive, heavy duty industry, shipment, trucks, plane, aluminium, metal, solar industries and others. We apply our expertise for our customers and help them to make their business work safer, more reliable and efficient.

PROFESSIONAL POWER TOOLS



ANGLE GRINDER



GWS 6/100(BOSCH)

ASM03-100A
 Max. Wheel Diameter (mm)
 Hole Diameter of Wheel (mm)
 Rated Power Input (W)
 Rated Speed (r/min)
 Net Weight (kg)

Retail Price (RM)

(10/CTN)

Ø 100
 Ø 16
 710
 13,000
 1.6

99.00

G15 SA2 (HITACHI)

ASM02-125B
 Max. Wheel Diameter (mm)
 Hole Diameter of Wheel (mm)
 Rated Power Input (W)
 Rated Speed (r/min)
 Net Weight (kg)

Retail Price (RM)

(4/CTN)

Ø 125
 Ø 22
 1,200
 11,800
 3.0

229.00

ASM06-100
 Max. Wheel Diameter (mm)
 Hole Diameter of Wheel (mm)
 Rated Power Input (W)
 Rated Speed (r/min)
 Net Weight (kg)

Retail Price (RM)

(10/CTN)

Ø 100
 Ø 16
 800
 9,000
 2.0

129.00

G18 SE2 (HITACHI)

ASM180A
 Max. Wheel Diameter (mm)
 Hole Diameter of Wheel (mm)
 Rated Power Input (W)
 Rated Speed (r/min)
 Net Weight (kg)

Retail Price (RM)

(2/CTN)

Ø 180
 Ø 22
 2,020
 8,300
 5.0

369.00

ASM05-100B
 Max. Wheel Diameter (mm)
 Hole Diameter of Wheel (mm)
 Rated Power Input (W)
 Rated Speed (r/min)
 Net Weight (kg)

Retail Price (RM)

(10/CTN)

Ø 100
 Ø 16
 850
 13,000
 1.7

119.00

ASM180SH
 Max. Wheel Diameter (mm)
 Hole Diameter of Wheel (mm)
 Rated Power Input (W)
 Rated Speed (r/min)
 Net Weight (kg)

Retail Price (RM)

(2/CTN)

Ø 180
 Ø 22
 2,600
 8,400
 5.8

369.00

ASM10-100
 Max. Wheel Diameter (mm)
 Hole Diameter of Wheel (mm)
 Rated Power Input (W)
 Rated Speed (r/min)
 Net Weight (kg)

Retail Price (RM)

(10/CTN)

Ø 100
 Ø 16
 1,020
 13,000
 2.1

209.00

ASM05-180
 Max. Wheel Diameter (mm)
 Hole Diameter of Wheel (mm)
 Rated Power Input (W)
 Rated Speed (r/min)
 Net Weight (kg)

Retail Price (RM)

(2/CTN)

Ø 180
 Ø 22
 3,000
 8,300
 5.0

369.00

ASM10-100S
 Max. Wheel Diameter (mm)
 Hole Diameter of Wheel (mm)
 Rated Power Input (W)
 Rated Speed (r/min)
 Net Weight (kg)

Retail Price (RM)

(10/CTN)

Ø100
 Ø16
 1,020
 13,000
 2.1

149.00Soft Start
G23 SC2 (HITACHI)

ASM230A
 Max. Wheel Diameter (mm)
 Hole Diameter of Wheel (mm)
 Rated Power Input (W)
 Rated Speed (r/min)
 Net Weight (kg)

Retail Price (RM)

(2/CTN)

Ø 230
 Ø 22
 2,020
 6,600
 5.0

449.00

ASM12-100
 Max. Wheel Diameter (mm)
 Hole Diameter of Wheel (mm)
 Rated Power Input (W)
 Rated Speed (r/min)
 Net Weight (kg)

Retail Price (RM)

(10/CTN)

Ø100
 Ø16
 850
 13,000
 1.8

149.00

ASM05-230
 Max. Wheel Diameter (mm)
 Hole Diameter of Wheel (mm)
 Rated Power Input (W)
 Rated Speed (r/min)
 Net Weight (kg)

Retail Price (RM)

(2/CTN)

Ø 230
 Ø 22
 3,000
 6,600
 5.0

479.00

STRAIGHT GRINDER



ASS125B
 Max. Wheel Diameter (mm)
 Hole Diameter of Wheel (mm)
 Rated Power Input (W)
 Rated Speed (r/min)
 Net Weight (kg)

Retail Price (RM)

(4/CTN)

Ø 125
 Ø 20
 710
 5,300
 4.3

269.00

ASS150
 Max. Wheel Diameter (mm)
 Hole Diameter of Wheel (mm)
 Rated Power Input (W)
 Rated Speed (r/min)
 Net Weight (kg)

Retail Price (RM)

(4/CTN)

Ø 150
 Ø 20
 1,020
 5,000
 4.7

299.00

PROFESSIONAL POWER TOOLS



DOUBLE INSULATION VARIABLE SPEED F/R CONTROL SMART LOOSEN FUNTION

GROOVE CUTTER



AZR110	(4/CTN)
Blade Diameter (mm)	Ø 110
Rated Power Input (W)	1,600
No-Load Speed (r/min)	10,800
Max. Cutting Depth (mm)	32
Max. Cutting Width (mm)	50
Net Weight (kg)	4.1

Retail Price (RM) 559.00



AZR02-150	(1/CTN)
Blade Diameter (mm)	Ø 150
Rated Power Input (W)	1,400
No-Load Speed (r/min)	7,000
Max. Cutting Depth (mm)	30
Max. Cutting Width (mm)	32
Net Weight (kg)	6.3

Retail Price (RM) 699.00

MARBLE CUTTER



4100 NH (Makita)

AZE110	(4/CTN)
Blade Diameter (mm)	Ø 110
Max. Cutting Capacity (mm)	30
Rated Power Input (W)	1,200
No-Load Speed (r/min)	13,000
Net Weight (kg)	3.0

Retail Price (RM) 179.00



4107 B (Makita)

AZE180	(2/CTN)
Blade Diameter (mm)	Ø 180
Max. Cutting Capacity (mm)	60
Rated Power Input (W)	1,520
No-Load Speed (r/min)	5,000
Net Weight (kg)	7.0

Retail Price (RM) 539.00



AZE05-110	(4/CTN)
Blade Diameter (mm)	Ø 110
Max. Cutting Capacity (mm)	30
Bevel Cutting Angle (°)	0 - 45
Rated Power Input (W)	1,400
No-Load Speed (r/min)	12,000
Net Weight (kg)	3.2

Retail Price (RM) 209.00

WELD JOINT BEVELLER



AJB3	(8/CTN)
Rated Power Input (W)	800
No-Load Speed (r/min)	9,000
Blade Size (mm)	Ø 9.5x3.5xØ4.2
Net Weight (kg)	2.5

Retail Price (RM) 349.00



ASN100	(2/CTN)
Rated Power Input (W)	1,400
Rated Speed (r/min)	690 - 3,800
Wheel Size (mm)	120 x 100
Net Weight (kg)	4.7

Retail Price (RM) 459.00

GRINDING POLISHER

DIE GRINDER



ASJ03-10	(12/CTN)
Rated Power Input (W)	105
Rated Speed (r/min)	14,000-30,000
Max. Grinding Wheel Dia. (mm)	Ø 10
Net Weight (kg)	0.6

Retail Price (RM) 179.00



ASJ04-25	(8/CTN)
Rated Power Input (W)	260
Rated Speed (r/min)	26,700
Max. Grinding Wheel Dia. (mm)	Ø 25
Net Weight (kg)	1.3

Retail Price (RM) 259.00



ASJ02-25	(8/CTN)
Rated Power Input (W)	400
Rated Speed (r/min)	27,000
Max. Grinding Wheel Dia. (mm)	Ø 25
Net Weight (kg)	1.8

Retail Price (RM) 199.00



ASJ05-25	(8/CTN)
Rated Power Input (W)	550
Rated Speed (r/min)	9,000-26,700
Max. Grinding Wheel Diameter (mm)	Ø 25
Net Weight (kg)	1.6

Retail Price (RM) 229.00

PROFESSIONAL POWER TOOLS



ELECTRIC DRILL



AJZ02-6A	(10/CTN)
Rated Power Input (W)	230
No-Load Speed (r/min)	0 - 3,800
Max. Drilling Capacity	
Steel (mm)	Ø 6.5
Wood (mm)	Ø 9
Net Weight (kg)	1.2

Retail Price (RM) 99.00



AJZ02-13	(8/CTN)
Rated Power Input (W)	500
No-Load Speed (r/min)	0 - 1,200
Max. Drilling Capacity	
Steel (mm)	Ø 13
Wood (mm)	Ø 20
Net Weight (kg)	2.4

Retail Price (RM) 159.00



AJZ10A	(10/CTN)
Rated Power Input (W)	300
No-Load Speed (r/min)	0 - 3,000
Max. Drilling Capacity	
Steel (mm)	Ø 10
Wood (mm)	Ø 18
Net Weight (kg)	1.5

Retail Price (RM) 109.00



AJZ03-13B	(6/CTN)
Rated Power Input (W)	800
No-Load Speed (r/min)	850
Max. Drilling Capacity	
Steel (mm)	Ø 13
Wood (mm)	Ø 36
Net Weight (kg)	2.9

Retail Price (RM) 159.00



AJZ06-10	(10/CTN)
Rated Power Input (W)	380
No-Load Speed (r/min)	0 - 1,400
Max. Drilling Capacity	
Steel (mm)	Ø 10
Wood (mm)	Ø 15
Net Weight (kg)	1.9

Retail Price (RM) 259.00



AJZ16A	(6/CTN)
Rated Power Input (W)	800
No-Load Speed (r/min)	680
Max. Drilling Capacity	
Steel (mm)	Ø 16
Wood (mm)	Ø 36
Net Weight (kg)	3.2

Retail Price (RM) 169.00



AJZ05-10A	(6/CTN)
Rated Power Input (W)	500
No-Load Speed (r/min)	0 - 2,600
Max. Drilling Capacity	
Steel (mm)	Ø 10
Wood (mm)	Ø 25
Net Weight (kg)	1.7

Retail Price (RM) 129.00



AJZ03-16A	(6/CTN)
Rated Power Input (W)	1,010
No-Load Speed (r/min)	620
Max. Drilling Capacity	
Steel (mm)	Ø 16
Wood (mm)	Ø 36
Net Weight (kg)	3.2

Retail Price (RM) 199.00



AJZ07-10 (KEYLESS)	(10/CTN)
Rated Power Input (W)	500
No-Load Speed (r/min)	0 - 1,750
Max. Drilling Capacity	
Steel (mm)	Ø 10
Wood (mm)	Ø 25
Net Weight (kg)	1.5

Retail Price (RM) 129.00



AJZ08-10 (KEYLESS)	(10/CTN)
Rated Power Input (W)	250
No-Load Speed (r/min)	0 - 850
Max. Drilling Capacity	
Steel (mm)	Ø 10
Wood (mm)	Ø 20
Net Weight (kg)	1.2

Retail Price (RM) 149.00



AJZ09-10	(8/CTN)
Rated Power Input (W)	710
No-Load Speed (r/min)	0 - 2,800
Max. Drilling Capacity	
Steel (mm)	Ø 10
Wood (mm)	Ø 20
Net Weight (kg)	1.6

Retail Price (RM) 169.00

IMPACT SCREWDRIVER



APL6	(10/CTN)
Rated Power Input (W)	710
No-Load Speed (r/min)	0 - 4,300
Max. Screw Dia (mm)	6
Net Weight (kg)	1.6

Retail Price (RM) 229.00



APL8	(8/CTN)
Rated Power Input (W)	300
No-Load Speed (r/min)	0 - 2,200
Rated Impacting Frequency (.../min)	0 - 3,000
Max. Fastening Torque (N.m)	98
Net Weight (kg)	1.3

Retail Price (RM) 249.00

PROFESSIONAL POWER TOOLS



DOUBLE INSULATION VARIABLE SPEED F/R CONTROL SMART LOOSEN FUNCTION

IMPACT DRILL



AZJ13	(8/CTN)
Rated Power Input (W)	500
No-Load Speed (r/min)	0 - 1,200
Rated Impacting Frequency (.../min)	0 - 15,600
Max. Drilling Capacity (mm)	Ø 13
Net Weight (kg)	2.5



Retail Price (RM) 169.00



AZJ02-13	(8/CTN)
Rated Power Input (W)	500
No-Load Speed (r/min)	0 - 2,600
Rated Impacting Frequency (.../min)	0 - 41,600
Max. Drilling Capacity	
Steel (mm)	Ø 10
Concrete (mm)	Ø 13
Wood (mm)	Ø 25
Net Weight (kg)	2.0



Retail Price (RM) 129.00



AZJ16	(8/CTN)
Rated Power Input (W)	710
No-Load Speed (r/min)	0 - 3,000
Max. Drilling Capacity	
Steel (mm)	Ø 13
Concrete (mm)	Ø 16
Wood (mm)	Ø 30
Net Weight (kg)	2.0



Retail Price (RM) 229.00



AZJ04-13	(4/CTN)
Rated Power Input (W)	500
No-Load Speed (r/min)	0 - 2,600
Rated Impacting Frequency (.../min)	0 - 41,600
Max. Drilling Capacity	
Steel (mm)	Ø 10
Concrete (mm)	Ø 13
Wood (mm)	Ø 25



Retail Price (RM) 229.00

MIXER



AQU160 (B)	(6/CTN)
Rated Power Input (W)	800
No-Load Speed (r/min)	680
Net Weight (kg)	3.5



Retail Price (RM) 219.00



AQU02-160	(8/CTN)
Rated Power Input (W)	1,010
No-Load Speed (r/min)	620
Dia. of Mixing Wheel (mm)	Ø 160
Net Weight (kg)	3.5



Retail Price (RM) 249.00



AQU05-160	(3/CTN)
Rated Power Input (W)	1,800
No-Load Speed (r/min)	2,000
Net Weight (kg)	5.5



Retail Price (RM) 419.00

ROTARY HAMMER



PR 38E (Hitachi)

SDS-Hex 13mm

AZC38	(2/CTN)
Rated Power Input (W)	800
No-Load Speed (r/min)	400
Max. Drilling Capacity (mm)	Ø 38
Net Weight (kg)	7.6

Retail Price (RM) 729.00



SDS-Plus
2 MODES : HAMMER & DEMOLITION

AZC03-26B	(3/CTN)
Rated Power Input (W)	750
No-Load Speed (r/min)	500
Rated Impacting Frequency (.../min)	3,200
Max. Drilling Capacity (mm)	Ø 26
Net Weight (kg)	5.0

Retail Price (RM) 389.00



SDS-Max
2 MODES : HAMMER & DEMOLITION

AZC03-38	(3/CTN)
Rated Power Input (W)	1,100
No-Load Speed (r/min)	320
Rated Impacting Frequency (.../min)	2,900
Max. Drilling Capacity (mm)	Ø 38
Net Weight (kg)	6.2

Retail Price (RM) 629.00

PROFESSIONAL POWER TOOLS



HAMMER DRILL

**AZC02-20**

Rated Power Input (W)
No-Load Speed (r/min)
Max. Drilling Capacity (mm)
Net Weight (kg)

(4/CTN)

500
0 - 850
Ø 20
2.9

Retail Price (RM)**249.00****AZC05-26**

Rated Power Input (W)
No-Load Speed (r/min)
Rated Impacting Frequency (.../min)
Max. Drilling Capacity (mm)
Net Weight (kg)

(4/CTN)

720
0 - 1,200
0 - 4,000
Ø 26
2.93

Retail Price (RM)**299.00**

DEMOLITION HAMMER

**AZG6**

Rated Power Input (W)
Rated Impacting Frequency (.../min)
Net Weight (kg)

(2/CTN)

1050
2,900
6.8

Retail Price (RM)**419.00****AZG04-15**

Rated Power Input (W)
Rated Impacting Frequency (.../min)
Net Weight (kg)

(1/CTN)

1,520
1,450
14.3

Retail Price (RM)**1,199.00****AZG06-6**

Rated Power Input (W)
Rated Impacting Frequency (.../min)
Net Weight (kg)

(3/CTN)

1,350
3,900
6.8

Retail Price (RM)**449.00****AZG15**

Rated Power Input (W)
Rated Impacting Frequency (.../min)
Net Weight (kg)

(1/CTN)

1,240
1,400
16

Retail Price (RM)**949.00****AZG05-6**

Rated Power Input (W)
Rated Impacting Frequency (.../min)
Net Weight (kg)

(3/CTN)

1,050
3,000
5.5

Retail Price (RM)**399.00****AZG10**

Rated Power Input (W)
Rated Impacting Frequency (.../min)
Net Weight (kg)

(1/CTN)

1,500
900 - 1,890
10.4

Retail Price (RM)**1,049.00**

PLANER

**AMB82**

Max. Planing Width (mm)
Max. Planing Depth (mm)
Rated Power Input (W)
No-Load Speed (r/min)
Net Weight (kg)

(3/CTN)

82
1
500
16,000
2.9

Retail Price (RM)**199.00****AMB110**

Max. Planing Width (mm)
Max. Planing Depth (mm)
Rated Power Input (W)
No-Load Speed (r/min)
Net Weight (kg)

(4/CTN)

110
2
840
16,500
4.2

Retail Price (RM)**269.00****AMB03-82**

Max. Planing Width (mm)
Hole Planing Depth (mm)
Rated Power Input (W)
No-Load Speed (r/min)
Net Weight (kg)

(4/CTN)

82
1
500
16,000
2.9

Retail Price (RM)**229.00**

PROFESSIONAL POWER TOOLS



ORBITAL SANDER



BO4510 (MAKITA)

ASB100	(16/CTN)
Rated Power Input (W)	150
Orbits Frequency (.../min)	12,000
Pad Size (mm)	100 x 110
Net Weight (kg)	1.3

Retail Price (RM) 119.00



ASB185	(10/CTN)
Rated Power Input (W)	160
Orbits Frequency (.../min)	10,000
Pad Size (mm)	93 x 185
Net Weight (kg)	1.7

Retail Price (RM) 169.00



ASB03-100	(16/CTN)
Rated Power Input (W)	240
Orbits Frequency (.../min)	14,000
Pad Size (mm)	100 x 110
Net Weight (kg)	1.2

Retail Price (RM) 129.00



ASB234	(8/CTN)
Rated Power Input (W)	520
Orbits Frequency (.../min)	10,000
Pad Size (mm)	114 x 234
Net Weight (kg)	2.9

Retail Price (RM) 249.00

WOOD ROUTER



AMR02-12	(2/CTN)
Rated Power Input (W)	1,650
Max. Milling Cutter Dia. (mm)	Ø12/ 12.7
No-Load Speed (r/min)	22,000
Net Weight (kg)	6.0

Retail Price (RM) 399.00



AMR05-12	(2/CTN)
Rated Power Input (W)	1,240
Max. Milling Cutter Dia. (mm)	Ø 12/12.7
No-Load Speed (r/min)	24,000
Net Weight (kg)	4.6

Retail Price (RM) 369.00



AMR12	(2/CTN)
Rated Power Input (W)	1,600
Max. Milling Cutter Dia. (mm)	Ø 12/12.7
No-Load Speed (r/min)	23,000
Net Weight (kg)	6.0

Retail Price (RM) 419.00

BELT SANDER



AST533	(8/CTN)
Rated Power Input (W)	550
Belt Speed (m/s)	3.3 - 16.6
Belt Size (mm)	30 x 533
Net Weight (kg)	2.1

Retail Price (RM) 269.00



AST610	(3/CTN)
Rated Power Input (W)	1,200
Belt Speed (m/min)	500
Belt Size (mm)	100 x 610
Net Weight (kg)	5.8

Retail Price (RM) 459.00

SANDER POLISHER



HITACHI SAT-180

ASP180	(4/CTN)
Rated Power Input (W)	750
Rated Speed (r/min)	2,500 - 3,400
Wheel Size (mm)	Ø 180
Net Weight (kg)	3.6

Retail Price (RM) 269.00



MAKITA 9218B

ASP02-180	(4/CTN)
Rated Power Input (W)	570
Rated Speed (r/min)	1,000 - 2,400
Wheel Size (mm)	Ø 180
Net Weight (kg)	3.3

Retail Price (RM) 259.00



ASP03-180	(4/CTN)
Rated Power Input (W)	1,020
Rated Speed (r/min)	1,000 - 3,600
Wheel Size (mm)	Ø 180
Net Weight (kg)	3.6

Retail Price (RM) 329.00



ASP04-180	(4/CTN)
Rated Power Input (W)	1,400
Rated Speed (r/min)	690 - 3,800
Wheel Size (mm)	Ø 180
Net Weight (kg)	3.4

Retail Price (RM) 339.00

PROFESSIONAL POWER TOOLS



DOUBLE INSULATION VARIABLE SPEED F/R CONTROL SMART LOOSEN FUNTION

DISC SANDER



GV 6000 (Makita)

ASA150	(10/CTN)
Rated Power Input (W)	405
Rated Speed (r/min)	4,700
Grinding Disc Diameter	Ø 150
Net Weight (kg)	1.6

Retail Price (RM) 179.00

JIG SAW



GST 85 (Bosch)

AMQ85	(6/CTN)
Rated Power Input (W)	580
No-Load Strokes (.../min)	500 - 3,100
Bevel Cutting Angle (Left/Right)	0 - 45°
Max. Cutting Capacity	
Steel (mm)	10
Wood (mm)	85
Net Weight (kg)	2.7

Retail Price (RM) 299.00



AMQ65K	(6/CTN)
Rated Power Input (W)	600
No-Load Strokes (.../min)	500 - 3,000
Bevel Cutting Angle (Left/Right)	0 - 45°
Max. Cutting Capacity	
Steel (mm)	10
Wood (mm)	65
Net Weight (kg)	2.5

Retail Price (RM) 279.00

RECIPROCATING SAW



AJF30	(3/CTN)
Rated Power Input (W)	590
No-Load Strokes (.../min)	0 - 2,300
Length of Strokes (mm)	30
Max. Cutting Capacity	
Steel (mm)	90
Wood (mm)	90
Net Weight (kg)	3.2

Retail Price (RM) 339.00



AML02-405	(2/CTN)
No-Load Speed (m/min)	400
Rated Power Input (W)	1,300
Max. Length of Guide Bar (mm)	405
Net Weight (kg)	5.6

Retail Price (RM) 599.00

TRIMMER



3703 (MAKITA)

AMP02-6	(9/CTN)
Rated Power Input (W)	350
Rated Speed (r/min)	30,000
Max. Milling Cutter Dia. (mm)	6/6.35
Net Weight (kg)	1.8

Retail Price (RM) 149.00



AMP03-6	(9/CTN)
Rated Power Input (W)	530
Rated Speed (r/min)	30,000
Max. Milling Cutter Dia. (mm)	6/6.35
Net Weight (kg)	1.8

Retail Price (RM) 169.00

SHEAR



JS 3200 (Makita)

AJJ32	(6/CTN)
Rated Power Input (W)	620
Cutting Capacity	
Mild Steel (mm)	3.2
Stainless (mm)	2.5
Min. Cutting Radius (mm)	50
Rated Impacting Frequency (.../min)	1,600
Net Weight (kg)	3.8

Retail Price (RM) 569.00

NIBBLER



JN 3200 (Makita)

AJH32	(6/CTN)
Rated Power Input (W)	620
No-Load Strokes (.../min)	1,300
Max. Cutting Capacity	
Mild Steel (mm)	3.2
Stainless (mm)	2.5
Min. Cutting Radius	
Inner Dia. (mm)	120
Outer Dia. (mm)	128
Net Weight (kg)	3.8

Retail Price (RM) 779.00

PROFESSIONAL POWER TOOLS



HOT AIR GUN



AQB2000	(10/CTN)
Rated Output Voltage (V~)	220 - 240
Rated Power Input (W)	2,000
Temperature:	
Low Temperature (°C)	50 - 480
High Temperature (°C)	50 - 600
Air Flow:	
Low Temperature (L/min)	210 - 250
High Temperature (L/min)	340 - 380
Net Weight (kg)	0.8

Retail Price (RM) 139.00

BLOWER VACUUM



AQF32	(6/CTN)
Rated Power Input (W)	680
No-Load Speed (r/min)	8,300 - 16,300
The Maximum Gas Volume (m ³ /min)	1.6 - 3.2
Net Weight (kg)	1.8

Retail Price (RM) 159.00

CUT-OFF MACHINE



AJG02-355	(1/CTN)
Wheel Size (mm)	355 x 3 x 25.4
Rated Power Input (W)	2,000
No-Load Speed (r/min)	3,800
Net Weight (kg)	16.0

Retail Price (RM) 399.00



AJG04-355	(1/CTN)
Wheel Size (mm)	355 x 3 x 25.4
Rated Power Input (W)	2,000
No-Load Speed (r/min)	3,800
Net Weight (kg)	14.0

Retail Price (RM) 449.00

MITRE SAW



AJX255	(1/CTN)
Rated Power Input (W)	1,650
No-Load Speed (r/min)	4,600
Blade Diameter (mm)	255
Net Weight (kg)	12.0

Retail Price (RM) 779.00

CIRCULAR SAW



5704 R (Makita)



AMY185	(2/CTN)
Rated Power Input (W)	1,100
No-Load Speed (r/min)	4,900
Max. Cutting Capacity (mm)	64
Max. Cutting Angle	45°
Net Weight (kg)	5.0

Retail Price (RM) 259.00



AMY02-185	(2/CTN)
Rated Power Input (W)	1,100
No-Load Speed (r/min)	5,600
Max. Cutting Capacity (mm)	64
Max. Cutting Angle	45°
Net Weight (kg)	3.6

Retail Price (RM) 239.00



AMY03-185	(2/CTN)
Rated Power Input (W)	1,400
No-Load Speed (r/min)	5,300
Max. Cutting Capacity (mm)	64
Max. Cutting Angle	45°
Net Weight (kg)	5.0

Retail Price (RM) 289.00



AMY235	(2/CTN)
Rated Power Input (W)	1,520
No-Load Speed (r/min)	4,100
Max. Cutting Capacity (mm)	84
Max. Cutting Angle	45°
Net Weight (kg)	7.5

Retail Price (RM) 369.00



AMY02-235	(2/CTN)
Rated Power Input (W)	2,000
No-Load Speed (r/min)	4,100
Max. Cutting Capacity (mm)	(90°) 85
	(45°) 60
Max. Bevel Cutting Angle (°)	50
Net Weight (kg)	6.5

Retail Price (RM) 399.00

PROFESSIONAL POWER TOOLS



DIAMOND CORE DRILL



AZZ90	(3/CTN)
Rated Power Input (W)	1,350
No-Load Speed (r/min)	0 - 2,300
Max. Drilling Capacity (mm)	Ø 90
Net Weight (kg)	4.4

Retail Price (RM) 629.00



AZZ02-160	(3/CTN)
Rated Power Input (W)	1,800
No-Load Speed (r/min)	1,900
Max. Drilling Capacity (mm)	Ø 160
Net Weight (kg)	5

Retail Price (RM) 979.00



AZZ130	(1/CTN)
Rated Power Input (W)	1,350
No-Load Speed (r/min)	1,100
Max. Drilling Capacity (mm)	Ø 130
Net Weight (kg)	12

Retail Price (RM) 1,799.00



AZZ02-200S	(1/CTN)
Rated Power Input (W)	3,500
No-Load Speed (r/min)	700
Max. Drilling Capacity (mm)	Ø 200
Net Weight (kg)	25

Retail Price (RM) 2,799.00



AZZ02-250	(1/CTN)
Rated Power Input (W)	3,800
No-Load Speed (r/min)	390/1110
Max. Drilling Capacity (mm)	Ø 250
Net Weight (kg)	25

Retail Price (RM) 3,499.00

MAGNETIC DRILL



AJC30	(1/CTN)
Rated Power Input (W)	900
Max. Drilling Capacity (mm)	Ø 30
Magnetism (N)	11,500
No-Load Speed (r/min)	450
Max. Stroke (mm)	140
Connector Straight Shank (mm)	Ø 19
Net Weight (kg)	11.5

Retail Price (RM) 1,499.00



AJC23	(1/CTN)
Rated Power Input (W)	1500
Max. Drilling Capacity	
Twist Drill Bit (mm)	Ø 23
Core Drill Bit (mm)	Ø 50
Magnetism (N)	15,000
No-Load Speed (r/min)	390
Max. Stroke (mm)	220
Connector	Mt2 Shank
Net Weight (kg)	21

Retail Price (RM) 1799.00



AJC02-23	(1/CTN)
Rated Power Input (W)	1,600
Max. Drilling Capacity	
Twist Drill Bit (mm)	Ø 23
Core Drill Bit (mm)	Ø 50
Magnetism (N)	15,000
No-Load Speed (r/min)	130-260/260-520
Max. Stroke (mm)	220
Connector	Mt3 Shank
Net Weight (kg)	24

Retail Price (RM) 2099.00

PROFESSIONAL POWER TOOLS



WRENCH



APB12	(8/CTN)
Rated Power Input (W)	300
No-Load Speed (r/min)	1,800
Rated Impacting Frequency (.../min)	2,000
Capacities (Bolt Size) (mm)	M8 - M12
Square Drive (mm)	12.7 x 12.7
Max. Fastening Torque (N.m)	188
Net Weight (kg)	2.1

Retail Price (RM) 259.00



APB20C	(4/CTN)
Rated Power Input (W)	340
No-Load Speed (r/min)	1,700
Rated Impacting Frequency (.../min)	2,000
Capacities (Bolt Size) (mm)	M12 - M20
Square Drive (mm)	12.7 x 12.7
Max. Fastening Torque (N.m)	294
Net Weight (kg)	3.2

Retail Price (RM) 349.00



APB22C	(3/CTN)
Rated Power Input (W)	620
No-Load Speed (r/min)	1,700
Rated Impacting Frequency (.../min)	1,600
Capacities (Bolt Size) (mm)	M16 - M22
Square Drive (mm)	19 x 19
Max. Fastening Torque (N.m)	588
Net Weight (kg)	5.0

Retail Price (RM) 459.00



APB30	(2/CTN)
Rated Power Input (W)	1050
No-Load Speed (r/min)	1,400
Rated Impacting Frequency (.../min)	1,500
Capacities (Bolt Size) (mm)	M22 - M30
Square Drive (mm)	25.4 x 25.4
Fastening Torque Range (N.m)	400-900
Net Weight (kg)	10.0

Retail Price (RM) 849.00

AIR STAPLER



A422J	(16/CTN)
Working Pressure(Bar)	4-8
Inner Diameter of Air Pipe(mm)	8
Capacity of Magazine(PCS)	100
Nail Type	Staple
Nail Size(mm)	0.6 x 4 x 22 (max)
Net Weight(kg)	1.1

Retail Price (RM) 79.00



A1022J	(16/CTN)
Working Pressure(Bar)	4-8
Inner Diameter of Air Pipe(mm)	8
Capacity of Magazine(PCS)	100
Nail Type	Staple
Nail Size(mm)	0.6 x 4 x 22 (max)
Net Weight(kg)	1.1

Retail Price (RM) 89.00

AIR BRAD NAILER



AF30	(16/CTN)
Working Pressure(Bar)	4-8
Inner Diameter of Air Pipe(mm)	8
Capacity of Magazine(PCS)	100
Nail Type	Brad Nail
Nail Size(mm)	∅ 1.05 x 30(Max)
Net Weight(kg)	1.1

Retail Price (RM) 79.00



AT50DC	(10/CTN)
Working Pressure(Bar)	4-8
Inner Diameter of Air Pipe(mm)	8
Capacity of Magazine(PCS)	100
Nail Type	Brad Nail
Nail Size(mm)	1.6 x 1.4 x 50(Max)
Net Weight(kg)	2.1

Retail Price (RM) 159.00

AIR CONCRETE NAILER



AST64C	(6/CTN)
Working Pressure(Bar)	4-8
Inner Diameter of Air Pipe(mm)	8
Capacity of Magazine(PCS)	75
Nail Type	Steel Nail
Nail Size(mm)	∅ 2.2 (18-64)
Net Weight(kg)	3

Retail Price (RM) 199.00

PROFESSIONAL POWER TOOLS



VACUUM CLEANER



AVC15	(1/CTN)
Rated Power Input(W)	1,200
Capacity (L)	15
Cooling System	Recycle
Net Weight(kg)	7.6

Retail Price (RM) 359.00



AVC30	(1/CTN)
Rated Power Input(W)	1,200
Capacity (L)	30
Cooling System	Recycle
Net Weight(kg)	8.8

Retail Price (RM) 419.00

DUST-FREE SAW



AFF02-150	(1/CTN)
Rated Power Input(W)	1,400
No-Load Speed (r/min)	5,300
Blade Diameter	105-150
Fan Rated Power (W)	1,000
Maximum Vacuum Degree (Pa)	24,000
Net Weight (kg)	11.9

Retail Price (RM) 899.00

LASER LEVEL



AFF21	(6/CTN)
Laser Diode (nm)	635
Centering Laser Diode (mm)	650
Vertical Accuracy	± 1mmAT5m
Levelling Accuracy	± 1mmAT5m
Auto-levelling Range	± 3°
Width of Laser Line	2mm at distance of 5m
Power Supply	3 x 1.5VLR6 (AA)
Operating Temperature	-10°C ~ 45°C
Laser Class	2

Retail Price (RM) 380.00



AFF41	(6/CTN)
Laser Diode (nm)	635
Centering Laser Diode (mm)	650
Vertical Accuracy	± 1mmAT5m
Levelling Accuracy	± 1mmAT5m
Auto-levelling Range	± 3°
Width of Laser Line	2mm at distance of 5m
Power Supply	3 x 1.5VLR6 (AA)
Operating Temperature	-10°C ~ 45°C
Laser Class	2

Retail Price (RM) 480.00

GREEN LASER LEVEL



AFF04-21	(6/CTN)
Laser Diode (nm)	532
Centering Laser Diode (mm)	650
Vertical Accuracy	± 1mmAT5m
Levelling Accuracy	± 1mmAT5m
Auto-levelling Range	± 3°
Width of Laser Line	2mm at distance of 5m
Power Supply	3 x 1.5VLR6 (AA)
Operating Temperature	-0°C ~ 40°C
Laser Class	3A

Retail Price (RM) 489.00



AFF04-41	(6/CTN)
Laser Diode (nm)	532
Centering Laser Diode (mm)	650
Vertical Accuracy	± 1mmAT5m
Levelling Accuracy	± 1mmAT5m
Auto-levelling Range	± 3°
Width of Laser Line	2mm at distance of 5m
Power Supply	3 x 1.5VLR6 (AA)
Operating Temperature	-0°C ~ 40°C
Laser Class	3A

Retail Price (RM) 800.00

PROFESSIONAL POWER TOOLS



LI-ION BATTERY CORDLESS POWER TOOLS

CORDLESS DRIVER DRILL

ADJZ10-10 (Type E)

(8/CTN)

Battery	12V x 2.0Ah x 2
Max. Screw Dia. (mm)	Ø 10
No-Load Speed (r/min)	Low 0 - 400 High 0 - 1,500
Max. Chucking Capacity (mm)	10
Max. Drilling Capacity	
Steel (mm)	Ø 10
Wood (mm)	Ø 20
Net Weight (kg)	1.1

Retail Price (RM) 349.00



CORDLESS DRIVER DRILL

ADJZ20-10 (TYPE E)

(8/CTN)

Battery	12V x 2.0Ah x 2
Max. Screw Dia. (mm)	Ø 7
No-Load Speed (r/min)	Low 0 - 400 High 0 - 1,500
Max. Chucking Capacity (mm)	10
Max. Drilling Capacity	
Steel (mm)	Ø 10
Wood (mm)	Ø 20
Net Weight (kg)	1.2

Retail Price (RM) 389.00



CORDLESS ANGLE DRIVER DRILL

ADJZ14-10(Type E)

(6/CTN)

Battery	12V x 2.0Ah x 2
Max. Screw Dia.(mm)	6.5
No-Load Speed (r/min)	0 - 800
Max.Chucking Capacity (mm)	10
Max Drilling Capacity	
Steel(mm)	Ø 10
Wood (mm)	Ø 25
Net Weight (kg)	1.0

Retail Price (RM) 459.00



CORDLESS BRUSHLESS HAMMER DRILL

ADZC02-24E

(3/CTN)

Battery	18V x 4.0Ah x 2
No-Load Speed (r/min)	0 - 1,100
Impact Frequency (.../min)	0 - 4,900
Max. Drilling Capacity	
Steel (mm)	Ø12
Wood (mm)	Ø28
Concrete (Kg)	Ø24
Net Weight (kg)	3.1

Retail Price (RM) 899.00



CORDLESS SCREWDRIVER

ADPL02-5B

(12/CTN)

Battery	4V / 1.5Ah
Max. Screw Dia. (mm)	5
No-Load Speed (r/min)	200
Net Weight (kg)	0.35

Retail Price (RM) 169.00



CORDLESS SCREWDRIVER

ADPL8 (Type E)

(8/CTN)

Battery	12V x 2.0Ah x 2
Max. Screw Dia. (mm)	6
No-Load Speed (r/min)	High 0 - 1,060 Low 0 - 270
Net Weight (kg)	1.0

Retail Price (RM) 360.00



CORDLESS IMPACT DRIVER

ADPL02-8 (Type E)

(8/CTN)

Battery	12V x 2.0Ah x 2
No-Load Speed (RPM)	0 - 2,400
Rated Impacts (.../min)	0 - 3,000
Max. Fastening Torque (RPM)	100
Net Weight (kg)	1.0

Retail Price (RM) 419.00



CORDLESS IMPACT WRENCH

ADPB10A

(8/CTN)

Battery	12V x 2.0Ah x 2
No-Load Speed (RPM)	0 - 2,400
Rated Impacting Frequency (.../min)	0 - 3,000
Max. Fastening Torque (N.M)	100
Net Weight (kg)	1.0

Retail Price (RM) 400.00



CORDLESS IMPACT WRENCH

ADPB16E

(4/CTN)

Battery	18V / 4.0Ah x 2
No-Load Speed (RPM)	0 - 2,200
Rated Impacting Frequency (.../min)	0 - 3,200
Max. Fastening Torque (N.M)	230
Net Weight (kg)	1.75

Retail Price (RM) 789.00



CORDLESS IMPACT WRENCH

ADPB20 (TYPE F)

(4/CTN)

Battery	18V/5.0Ah x 2
Applicable Screw Diameter(mm)	M16-M20
No-Load Speed(RPM)	0-1,700
Rated Impacting Frequency(.../min)	0-2,000
Max. Fastening Torque(N.M)	650
Net Weight(Kg)	3.2

Retail Price (RM) 1259.00



CORDLESS DRIVER HAMMER DRILL

ADJZ13(Type E)

(4/CTN)

Battery	18V x 4.0Ah x 2
Max. Chucking Capacity (mm)	13
Max. Screw Dia. (mm)	Ø 10
Blows per minute (BPM)	0-36,000
No-Load Speed (r/min)	Step 1 0 - 400 Step 2 0 - 2,000
Max. Drilling Diameter	
Steel (mm)	Ø 13
Wood (mm)	Ø 38
Torque Setting	25+2
Max.Torque(N.m)	70
Net Weight (kg)	2.2

Retail Price (RM) 899.00



CORDLESS DRIVER IMPACT DRIVER

ADPL02-14 (TYPE F)

(4/CTN)

Battery	18V x 5.0Ah x 2
Clamping Capacity	6.35mm Hex
Max. Screw Dia. (mm)	Ø 14
Torque Setting	Smart-loosen Low 140(N.m) High 175(N.m)
No-Load Speed (r/min)	0 - 2,000 0 - 2,400
Rated Impacts(.../min)	Low 0 - 2,900 High 0 - 3,200
Net Weight (kg)	1.9

Retail Price (RM) 979.00



PROFESSIONAL POWER TOOLS



LI-ION BATTERY CORDLESS POWER TOOLS

**CORDLESS BRUSHLESS IMPACT WRENCH**

ADBP18 (TYPE F)	(4/CTN)
Battery	18V/5.0Ahx2
Applicable Screw Diameter (MM)	M12-M18
Square Drive Size (MM)	12.7 (1/2")
Torque Setting	Smart-loosen
Step L (N.M)	240
Step H (N.M)	300
No-Load Speed	
Step L (R/MIN)	0-2,000
Step H (R/MIN)	0-2,400
Rated Impacting Frequency	
Step L (.../min)	0-2,900
Step H (.../min)	0-3,200
Net Weight (Kg)	1.7

Retail Price (RM) 1049.00

**CORDLESS BRUSHLESS DRIVER DRILL**

ADJZ16 (TYPE E)	(4/CTN)
Battery	18V/4.0Ah x 2
Max. Chucking Capacity (mm)	16
No-Load Speed (r/min)	0 - 1,200
Max. Drilling Capacity	
Steel (mm)	Ø 16
Wood (mm)	Ø 38
Max. Torque (N.m)	45
Net Weight (kg)	2.2

Retail Price (RM) 859.00

**CORDLESS ANGLE GRINDER**

ADSM100 (TYPE E)	(4/CTN)
Battery	18V / 4.0Ah x 2
Max. Wheel Diameter (mm)	Ø 100
Hole Diameter of Wheel (mm)	Ø 16
Rated Speed (r/min)	10,000
Spindle Thread	M10
Net Weight (kg)	2.1

Retail Price (RM) 749.00

**CORDLESS ANGLE GRINDER**

ADSM02-100 (TYPE E)	(4/CTN)
Battery	18V / 4.0Ah x 2
Max. Wheel Diameter (mm)	Ø 100
Hole Diameter of Wheel (mm)	Ø 16
Rated Speed (r/min)	8,500
Spindle Thread	M10
Net Weight (kg)	2.4

Retail Price (RM) 839.00

**CORDLESS DIE GRINDER**

ADSJ10 (TYPE E)	(6/CTN)
Battery	12V x 2.0Ah x 2
Rated Speed (r/min)	5,000 - 32,000
Speed Shifting Gears	1-2-3-4-5-6
Max.Grinding Wheel Diameter(mm)	10
Power Display	3
Net Weight (kg)	0.61

Retail Price (RM) 349.00

**CORDLESS MULTI TOOLS**

ADMD12 (Type E)	(6/CTN)
Battery	12V x 2.0Ah x 2
Oscillation(/min)	5,000-20,000
Speed Shifting Gears	2-4-6-8-10-12
Oscillation Angle (°)	3
Power Display	3
Net Weight (kg)	0.95

Retail Price (RM) 459.00

**CORDLESS SABRE SAW**

ADJF15 (TYPE E)	(6/CTN)
Battery	12V x 2.0Ah x 2
Stroke(mm)	15
Max Cutting Depth	
Metal (mm)	8
Wood (mm)	65
Pipe Diameter (mm)	Ø 50
No-Load Speed (r/min)	0 - 3,000
Net Weight (kg)	1.2

Retail Price (RM) 449.00

**CORDLESS RECIPROCATING SAW**

ADJF28 (Type A)	(4/CTN)
Battery	18V/4.0Ah x 2
No-Load Strokes(.../min)	0-3,300
Length Of Strokes(mm)	28
Max.Cutting Capacity	
Steel(mm)	20
Wood(mm)	250
Tube Diameter(mm)	130
Net Weight(kg)	3.4

Retail Price (RM) 999.00

**CORDLESS CAULK GUN**

ADPJ12	(3/CTN)
Battery	12V x 2.0Ah x 2
Max.Pushing force(N)	3,400
Feed Sped(mm/s)	0-12.9
Stroke(mm)	213
Sealant Type	300ML
Net Weight(kg)	1.85

Retail Price (RM) 449.00

**CORDLESS CAULK GUN**

ADPJ12 (TYPE E)	(3/CTN)
Battery	12V x 2.0Ah x 2
Max.Pushing force(N)	3,400
Feed Sped(mm/s)	0-12.9
Stroke(mm)	213
Sealant Type	600ML
Net Weight(kg)	1.85

Retail Price (RM) 629.00

**CORDLESS BLOWER**

ADQF28 (Type B)	(6/CTN)
Battery	18V / 4.0Ahx1
No-Load Speed (r/min)	
Step 1	11000±14%
Step 2	15000±11%
Step 3	19000±10%
Capacity(m³/min)	1.6-2.8
Net Weight (kg)	1.9

Retail Price (RM) 489.00

**CORDLESS PRUNER**

ADYD14 (TYPE B)	(24/CTN)
Battery	4V/2.0Ah
Max.Cutting Diameter(mm)	Ø14 New Branch
No-Load Shear Frequency(.../s)	1.2
Net Weight (kg)	0.71

Retail Price (RM) 199.00

PROFESSIONAL POWER TOOLS



LI-ION BATTERY CORDLESS POWER TOOLS



CORDLESS CLEANER

ADXC12

Battery	12V / 2.0Ah
Max. Air Flow. (m/min)	1.2
Air Pressure (Kpa)	1.8
Continuous Use (minutes,approx)	20
Net Weight (kg)	0.9

Retail Price (RM) 279.00



CORDLESS WORK LIGHT

ADWL12(B) & (C)

(12/CTN) / (30/CTN)

Battery	12V / 2.0Ah
Continuous Lighting Time (h)	10
LED (pcs)	16
Lamp Adjusting Angle (°)	110
Net Weight (kg)	0.32

Retail Price (RM) 280.00
Type C: Retail Price (RM) 49.00



(Type C): Product come without battery and charger , which are sold separately



CORDLESS BLIND RIVETING GUN

ADPM50 (TYPE E)

(6/CTN)

Battery	12V / 2.0Ah
Stroke (mm)	20
Capacity	
Ø2.4 - 5.0mm for All Purpose	
Ø2.4 - 6.0mm for Aluminum Blind Rivet	
Max. Tension	10,000(N)
Net Weight (kg)	1.6

Retail Price (RM) 779.00

CORDLESS COMBO KIT ADKIT01(E) (ADPL02-8 + ADJZ10-10)

(6/CTN)



CORDLESS IMPACT DRIVER

ADPL02-8 (Type E)

Battery	12V x 2.0Ah
No-Load Speed (RPM)	0 - 2,400
Rated Impacts (.../min)	0 - 3,000
Max. Fastening Torque (RPM)	100
Net Weight (kg)	1.0



CORDLESS DRIVER DRILL

ADJZ10-10 (Type E)

Battery	12V x 2.0Ah
Max. Screw Dia. (mm)	Ø 10
No-Load Speed (r/min)	High 0 - 1400
	Low 0 - 350
Max. Chucking Capacity (mm)	10
Max. Drilling Capacity	
Steel (mm)	Ø 10
Wood (mm)	Ø 20
Net Weight (kg)	1.1

Retail Price (RM) 499.00

CORDLESS COMBO KIT ADKIT02(E) (ADJF15 + ADJZ10-10)

(4/CTN)



CORDLESS SABRE SAW

ADJF15 (TYPE E)

Battery	12V x 2.0Ah
Stroke(mm)	15
Max Cutting Depth	
Metal (mm)	8
Wood (mm)	65
Pipe Diameter (mm)	Ø 50
No-Load Speed (r/min)	0 - 3,000
Net Weight (kg)	1.2



CORDLESS DRIVER DRILL

ADJZ10-10 (Type E)

Battery	12V x 2.0Ah
Max. Screw Dia. (mm)	Ø 10
No-Load Speed (r/min)	High 0 - 1,500
	Low 0 - 400
Max. Chucking Capacity (mm)	10
Max. Drilling Capacity	
Steel (mm)	Ø 10
Wood (mm)	Ø 20
Net Weight (kg)	1.1

Retail Price (RM) 549.00

PROFESSIONAL POWER TOOLS

DC INVERTER ARC WELDER



Model	MMA 120/ARC 120	MMA 140/ARC 140	MMA 200/ARC 200
Input voltage (V)	1 phase AV220V/AC240V±15%	1 phase AV220V/AC240V±15%	1 phase AV220V/AC240V±15%
Frequency (Hz)	50/60	50/60	50/60
Rated input current (A)	17.3	20.8	30.5
No-load volt. (V)	60	60	60
Output Current (A)	30-120	30-140	30-190
Rated output volt. (V)	24.8	25.6	27.6
Force range (A)	--	--	--
Duty cycle (%)	60%	60%	60%
No-load loss (W)	40	40	40
Efficiency (%)	85%	85%	85%
Power factor	0.73	0.73	0.73
Insulation grade	F	F	F
Housing protection grade	IP21	IP21	IP21
Weight (kg)	8.kg	8.7kg	9.2kg
Dimintions (mm)	455x270x345	455x270x345	455x270x345
Retail Price (RM)	500.00	560.00	910.00

DC INVERTER TIG WELDER



Model	TIG 200
Power voltage (V)	single phase AV220V/AC240V±15%
Frequency (Hz)	50/60
Rated input current (A)	18
Output Current (A)	10-180
Rated output volt.(V)	17.2
Arc Force adjustment (A)	-----
No-load volt. (V)	40
Duty cycle (%)	60%
No-load loss W)	40
Arcing way	HF
Efficiency (%)	85%
Power factor	0.73
Insulation grade	F
Housing protection grade	IP21S
Weight (kg)	9.4kg
Dimintions (mm)	455x270x345
Retail Price (RM)	1050.00